



Design in October, 2015

Copyright Zhejiang CFMOTO Power Company, Ltd., 2015. All rights reserved. Vehicle specifications is subject to change without notice. Imagery may not reflect most current product specifications. CFMOTO reserves the right to make improvements and/or design changes without any obligation to modify previously sold, assembled or fabricated equipment.

ZHEJIANG CFMOTO POWER CO., LTD.

No.116, Wuzhou Road, Yuhang Economic Development Zone,
Hangzhou 311100, Zhejiang Province

Tel: 86-571-89265799 Fax: 86-571-89265788

E-mail: export@cfmoto.com.cn www.cfmoto.cn

2016



CATALOG

1. PARTS & ACCESSORIES

P05 - P18

Bumper	05	Winch	13
Body guards	07	Vehicle cover	14
Rack extender	08	Hitch draw bar	15
Windshield	09	Hitch ball	16
Gun boot bracket	09	Handle bar protector	16
Aluminum skid plate	10	LED light	17
Aluminum A-arm guard	11	Rear cargo box	18

2. RIDING OUTFITS

P21 - P34

Helmet	21	Suits	29
Gloves	25	T-shirt	33
Boots	25	Cap	33
Goggles	25	Thick hoodie	34
Winter wear	26	Raincoat suit	34
Jacket	27		

A rider wearing an orange and black outfit and a helmet is jumping an orange and black Honda ATV over a dirt mound. The background shows a mountainous landscape with green trees and some snow. The image is framed with a white border that has a subtle, textured pattern.

1 PARTS & ACCESSORIES

001 FRONT BUMPER for CF500AU-6L

Code	9CR6-200100
Dimension	1089×443×344 mm
Description	-Made of 35mm diameter steel tube; -Sporty look -added heavy-duty protection in extreme conditions;
Material	Steel
G.W	5.3 kg

Applicable Model(s) **CF500AU-6L**

**003 REAR BUMPER for CF500AU-6L**


Code	9CR6-200400
Dimension	1057×352×257 mm
Description	-Made of 35mm diameter steel tube; -Sporty look -protect the rear bodywork
Material	Steel
G.W	4.5 kg

Applicable Model(s) **CF500AU-6L**

**002 FRONT BUMPER for CF400AU/L**

Code	9GQ0-200300
Dimension	1072×365×310 mm
Description	-Made of 35mm diameter steel tube; -Sporty look -added heavy-duty protection in extreme conditions;
Material	Steel
G.W	4.75 kg

Applicable Model(s) **CF400AU/CF400AU-L**

**004 REAR BUMPER for CF400AU/L**

Code	9GQ0-200400
Dimension	1002×306×205 mm
Description	-Made of 35mm diameter steel tube; -Sporty look -protect the rear bodywork
Material	Steel
G.W	3.47 kg

Applicable Model(s) **CF400AU/CF400AU-L**




005 BODY GUARDS for CF500AU-6L

Code	9CR6-200500
Dimension	1700×450×750 mm
Description	-Strong and durable 30mm diameter steel -Consists of six parts -Most reliable protection available
Material	Steel
G.W	13.1 kg
Applicable Model(s)	CF500AU-6L



006 BODY GUARDS for CF400AU-L

Code	9GQL-200500
Dimension	1982×402×795 mm
Description	-Strong and durable 30mm diameter steel -Consists of six parts -Most reliable protection available
Material	Steel
G.W	13.0 kg
Applicable Model(s)	CF400AU-L



007 BODY GUARDS for CF400AU

Code	9GQO-200500
Dimension	1782×402×795 mm
Description	-Strong and durable 30mm diameter steel -Consists of six parts -Most reliable protection available
Material	Steel
G.W	12.9 kg
Applicable Model(s)	CF400AU



008 FRONT RACK EXTENDER

Code	9CR6-200600
Dimension	980×452×190 mm
Description	-Strong and durable; -Keeps cargo from sliding off; -Provide tremendous tie-down flexibility;
Material	Steel
G.W	2.5 kg
Applicable Model(s)	CF400AU/ CF400AU-L/ CF500AU-6L



009 REAR RACK EXTENDER

Code	9CR6-200700
Dimension	970×370×205 mm
Description	-Strong and durable; -Keeps cargo from sliding off; -Provide tremendous tie-down flexibility;
Material	Steel
G.W	3.25 kg
Applicable Model(s)	CF400AU/ CF400AU-L/ CF500AU-6L



010~011 WINDSHIELD

Code	9CR6-203000
Dimension	615×490×370 mm
Description	-Easy to install and adjust the height and angle -Provide the protection against the wind, bad weather and off-road hazards
Material	Steel and Plastics
Applicable Model(s)	CF400AU/ CF400AU-L/ CF500AU-6L



012 GUN BOOT BRACKET

Code	9CR6-201800
Dimension	130×138×123 mm
Description	Easy to installing scatter gun on the vehicle when out hunting
Material	Steel
G.W	0.75 kg
Applicable Model(s)	CF500AU-6L/ CF400AU/ CF400AU-L

13 ALUMINUM SKID PLATE for CF500AU-6L

Code	9CR6-201000
Dimension	1745×1050×97 mm
Description	-Made of 3mm thickness Aluminum palte -Includes 5 parts -Protecting the bottom of vehicle injured when it puts over different terrains
Material	Aluminum
G.W	7.67 kg
Applicable Model(s)	CF500AU-6L



014 ALUMINUM SKID PLATE for CF400AU-L

Code	9GQ0-203000
Dimension	1765×920×114 mm
Description	-Made of 3mm thickness Aluminum palte -Includes 6 parts -Protecting the bottom of vehicle injured when it puts over different terrains
Material	Aluminum
G.W	5.5 kg
Applicable Model(s)	CF400AU-L



015 ALUMINUM SKID PLATE for CF400AU

Code	9GQL-203000
Dimension	1565×920×114 mm
Description	-Made of 3mm thickness Aluminum palte -Includes 5 parts -Protecting the bottom of vehicle injured when it puts over different terrains
Material	Aluminum
G.W	5.15 kg
Applicable Model(s)	CF400AU



016 ALUMINUM A-ARM GUARD for 500 series

Code	9CR6-204000
Dimension	300×270×80 mm
Description	-Made of 4mm thickness Aluminum palte -Composed of four parts -Fully protection for the rocker arm on different terrains
Material	Aluminum
G.W	2.86 kg
Applicable Model(s)	CF500AU-6L; CF500-5/5A ; CF500-5B/5C



017 ALUMINUM A-ARM GUARD for CF400AU/L

Code	9GQ0-204000
Dimension	300×270×80 mm
Description	-Made of 3mm thickness Aluminum palte -Composed of four parts -Fully protection for the rocker arm on different terrains
Material	Aluminum
G.W	2.78 kg
Applicable Model(s)	CF400AU-L/ CF400AU



018 ALUMINUM WINCH GUARD for CF500AU-6L

Code	9CR6-202500
Dimension	376×237×185 mm
Description	-Made of 3mm thickness Aluminum palte -Provide fully protection for the winch on different terrains
Material	Aluminum
G.W	0.5 kg
Applicable Model(s)	CF500AU-6L



019 ALUMINUM WINCH GUARD for CF400AU/L

Code	9GQ0-200600
Dimension	425×285×170 mm
Description	-Made of 3mm Thickness Aluminum palte -Provide fully protection for the winch on different terrains
Material	Aluminum
G.W	1.25 kg
Applicable Model(s)	CF400AU-L/ CF400AU



020 WINCH

Code	7020-201020
Dimension	400*120*120 mm
Description	-Includes 4500LBS Winch, Nylon Rope. -Lighter and safer than other kinds. -Double your pulling power;
Material	Aluminum
Applicable Model[s]	U8/Z8/X8



021 WINCH ACCESSORIES

Code	7020-201010
Description	Accessories for winch
Applicable Model[s]	U8/Z8/X8



022 UV PROTECT VEHICLE COVER

Code	TAMFJ05-CF500AU-6LGR033
Applicable Model[s]	CF400AU/CF400AU-L/CF500AU-6L



023 BLACK VEHICLE COVER

Code	TAMFJ05-CF500AU-6LBK033
Applicable Model[s]	CF400AU/CF400AU-L/CF500AU-6L



24 HITCH DRAW BAR- integrated

Code	9CR6-201400
Dimension	283×70×56 mm
Description	-Made of 12mm thickness steel; -Easy to facilitate connection trailer with the 243 mm length size of the trailer stents243mm;
Material	Steel
G.W	1.4 kg
Applicable Model(s)	CF500AU-6L/ CF400AU-L/ CF400AU



025 HITCH DRAW BAR- disassembled

Code	9CR6-201900
Dimension	291×140×60 mm
Description	-Made of 12mm thickness steel -Convenient to be disassembled when it is not used
Material	Steel
G.W	2.7 kg
Applicable Model(s)	CF500AU-6L/CF400AU-L/CF400AU

026 HITCH BALL

Code	9010-205000-1000
Dimension	118×50×37 mm
Description	2" hitch ball
Material	Steel
G.W	1 kg
Applicable Model(s)	CF500AU-6L/ CF400AU-L/ CF400AU



027 HANDLE BAR PROTECTOR

Code	9CR6-101200
Dimension	364×262×156 mm
Description	-Made of 2.8mm height plastic -Protecting hands at any environment during driving
Material	Plastics
G.W...	1 kg
Applicable Model(s)	CF500AU-6L/ CF400AU-L/ CF400AU



028 LED LIGHT BAR

Code	9CR6-201500
Dimension	370×100×90 mm
Description	LED power: Cree 5W*12 Color temp.: 6000K Input: 9-32V DC Output: 5400 Lumens Operating Temp.: -40 ~ +105 °C IP Rate: IP68 ,waterproof Lifetime: 50,000 hrs +
G.W.	1.5 kg

Applicable Model(s) CF400AU/CF400AU-L/CF500AU-6L



031 REAR CARGO BOX-65L

Code	TAMFJ04-1203BK001
Dimension	1070×700×430 mm
Description	-The volume is 65L -Provide protection and enough capacity
Material	Plastics
G.W	12 kg

Applicable Model(s) CF400AU/CF400AU-L/CF500AU-6L



029 LED LIGHT -square

Code	9CR6-201600
Dimension	130×115×50 mm
Description	LED Power: Cree XM-L2 3W*9 Color Temp.: 6000K Input: 9-32V DC Output: 2700 Lumens Operating Temp.: -40 ~ +105 °C IP Rate: IP68 ,Waterproof Lifetime: 50,000 hrs +
G.W	1 kg

Applicable Model(s) CF400AU/CF400AU-L/CF500AU-6L



032 REAR CARGO BOX-90L

Code	TAMFJ04-1303BK001
Dimension	960×550×370 mm
Description	-The volume is 90L -Provide protection and enough capacity
Material	Plastics
G.W	9.5 kg

Applicable Model(s) CF400AU/CF400AU-L/CF500AU-6L



030 LED LIGHT -round

Code	9CR6-201700
Dimension	110×120×160 mm
Description	LED power: Cree 25W Color temp.: 5000K Input: 9-32V DC Output: 2500 Lumens Operating Temp.: -40 ~ +105 °C IP Rate: IP68 ,waterproof Lifetime: 50,000 hrs +
G.W	0.8 kg

Applicable Model(s) CF400AU/CF400AU-L/CF500AU-6L



A composite image featuring two riders on ATVs. The rider in the foreground is wearing a blue and green jersey and a white helmet, riding a blue ATV. The rider in the background is wearing a red and black jersey and a red helmet, riding an orange ATV. Both are splashing through mud. The image is overlaid with a large, stylized number '2' and a teal banner at the bottom containing the text 'RIDING OUTFITS'.

RIDING OUTFITS



033 FULL FACE HELMET 1

Code	TAMTK01-424BK020
Dimension	360•270•260 mm
Description	-Mouth air intake vent -Top vents -Rear vents
Safety	DOT approved
Material	Shell: high quality ABS composite material Interior: high density EPS(Expandable Polystyrene) buffer layer. Removable, washable liner
G.W	1.25 kg
Applicable Model(s)	Applicable for on road motorcycle
Sizes	M L XL XXL XXXL



034 FULL FACE HELMET 2

Code	TAMTK01-434BK021
Dimension	360•270•260 mm
Description	-Mouth air intake vent -Top vents -Rear vents
Safety	ECE approved
Material	Shell: Light weight polycarbonate Interior: high density EPS(Expandable Polystyrene) buffer layer. Removable, washable liner
G.W	1.6 kg
Applicable Model(s)	Applicable for on road motorcycle
Sizes	M L XL XXL XXXL

035~036 SEMI FACE HELMET

Code	035: TAMTK02-192BK010 036: TAMTK02-192WT010
Safety	ECE approved
Material	Shell: high quality ABS composite material Interior: high density EPS[Expandable Polystyrene] buffer layer. Removable, washable liner

Applicable Model(s)	Applicable for on road motorcycle
Color	White Black
Sizes	M L XL XXL XXXL



035 White



036 Black



039 White



040 Black



041 Matte black



042 White with black

037~038 3/4 HELMET

Code	037: TAMTK02-182RD009 038: TAMTK02-182BK009
Safety	ECE approved
Material	Shell: high quality ABS composite material Interior: high density EPS[Expandable Polystyrene] buffer layer. Removable cap

Applicable Model(s)	Applicable for on road motorcycle
Color	Union Jack Sticker Black

Sizes	M L XL XXL XXXL
-------	-----------------



037 Union Jack Sticker



038 Black

039~042 OFF-ROAD HELMET

Code	039: TAMTK03-383BK012 040: TAMTK03-383BK012 041: TAMTK03-373B011 042: TAMTK03-373BKWT011
Safety	ECE approved
Material	Shell: high quality ABS composite material Interior: high density EPS[Expandable Polystyrene] buffer layer. Removable cap

Applicable Model(s)	Applicable for off road motorcycle
Color	White Black Matte black White with black
Sizes	M L XL XXL XXXL

043 OFF-ROAD GLOVES

Code	TAMFJ03-162BK029
Dimension	220×120 mm
Material	Eyelet fabric, micro fiber
Applicable Model(s)	Off road motocross gloves
Sizes	S M L XL XXL



044 ON-ROAD GLOVES

Code	TAMFJ03-1502BK021
Dimension	220×120 mm
Material	Genuine goat leather Injection fist protector
Applicable Model(s)	On road motocross gloves
Sizes	S M L XL XXL

045 BOOTS

Code	TAMFJ03-024BK030
Dimension	330×300×100 mm
Material	Sole: High traction rubber out sole Upper: synthetic rubber shell
Description	These boots deliver good flexibility, protection and breathability
Sizes	40-45



047 GOGGLES 2

Code	TAMFJ05-03BL035
Dimension	200×120 mm
Material	Frame: TPU Lens: polycarbonate Strap: elastic strap
Description	Anti dust
Safety	CE approved
Sizes	Free Size, adjustable



046 GOGGLES 1

Code	TAMFJ05-03BL031
Dimension	200×120 mm
Material	Frame: TPU Lens: polycarbonate Strap: elastic strap
Description	Anti dust
Safety	CE approved
Sizes	Free Size, adjustable

048 GOGGLES 3

Code	TAMFJ05-03BL034
Dimension	200×120 mm
Material	Frame: TPU Lens: polycarbonate Strap: elastic strap
Description	Anti dust, UV protection, with nose guard
Safety	CE approved
Sizes	Free Size, adjustable

049 WINTER WEAR- Male

Code	TAMFZ09-CF091BK016
Material	320D DPU coating fabric compound micro fleece
Description	Outdoor wear, casual winter jacket Windproof and water-repellent protection and breathability
Sizes	M L XL XXL XXXL



050 WINTER WEAR- Female

Code	TAMFZ09-CF091BL017
Material	320D DPU coating fabric compound micro fleece
Description	Outdoor wear, casual winter jacket Windproof and water-repellent protection and breathability
Sizes	S M L XL XXL

051 SUMMER STREET BIKE JACKE

Code	TAMFZ01-191BK028
Material	Outside fabric is 600D Oxford cloth, shoulder and elbow parts are equipped with protectors in order to guarantee the safety;The sleeves and hem are adjustable, the collar is lined with soft flannel
Description	The material is selected according to SGS standard
Safety	CE approved
Sizes	S M L XL XXL





052 OFF ROAD RALLY JACKET SUIT

Code	Jacket: TAMFZ01-342BK032 Pants: TAMFZ01-152BK033
Material	Upper: Outside fabric is 600D Oxford cloth, Pants with knee guard
Description Safety	The material is selected according to SGS standard CE approved
Sizes	M L XL XXL XXXL

053 WATERPROOF RIDING JACKET-White

Code	TAMFZ01-381BK029
Material	Outside fabric is 600D Oxford cloth, shoulder and elbow parts are equipped with protectors in order to guarantee the safety;The sleeves and hem are adjustable, the collar is lined with soft flannel
Description Safety	The material is selected according to SGS standard CE approved
Sizes	M L XL XXL XXXL



054 WATERPROOF STREET BIKE JACKET

Code	TAMFZ01-17351BK026
Material	Outside fabric is 600D Oxford cloth, shoulder and elbow parts are equipped with protectors in order to guarantee the safety;
Description	The material is selected according to SGS standard
Safety	CE approved
Sizes	M L XL XXL XXXL



055 WATERPROOF RIDING JACKET-black

Code	TAMFZ01-18371BK027
Material	Outside fabric is 600D Oxford cloth, shoulder and elbow parts are equipped with protectors in order to guarantee the safety;The sleeves and hem are adjustable, the collar is lined with soft flannel
Description	The material is selected according to SGS standard
Safety	CE approved
Sizes	M L XL XXL XXXL



056 OFF ROAD SUMMER SUITS

Code	Upper: TAMFZ03-CFM03-12WT022 Pants: TAMFZ03-CFM03-22BK022
Material	Upper: Polyester bird eye/mesh fabric printing Pants: Outside fabric is 600D Oxford cloth, with knee guard
Description	The material is selected according to SGS standard
Safety	CE approved
Sizes	M L XL XXL XXXL



057 T-SHIRT 1

Code	TAMFZ05-CF0T012BK029
Dimension	450*100 mm
Material	Cotton
Sizes	S M L XL XXL



060 THICK HOODIE

Code	TAMFZ08-CF092BK030
Dimension	650*480 mm
Material	Cotton
Description	Zipper-up hoodie
Sizes	S M L XL XXL



CAP

Code	TAMFJ05-021BK031
Dimension	270*190*140 mm
Material	Cotton
Description	Six panel peaked cap
Sizes	Free Size



058 T-SHIRT 2

Code	TAMFZ05-CF0T022BK028
Dimension	450*100 mm
Material	Cotton
Sizes	S M L XL XXL



061 RAINCOAT SUIT

Code	TAMFJ05-021BK031
Dimension	770*550 mm
Material	Upper: 190TPU coating Pants: 190TPU coating
Sizes	S M L XL XXL

